


CO₂ Component Description

Effective: November 2001

K-81-1010

75 lb. and 100 lb. Carbon Dioxide Cylinders



Pressure Ratings:

Working Pressure = 1800 psig
 Maximum Pressure at T = 130°F = 2250 psig
 Hydrostatic Test Pressure = 3000 psig

| PART NUMBER | CYLINDER | VALVE TYPE | A | B |
|-------------|----------|------------|-------|--------|
| 870287 | 75 lb. | 5/8" | 60.0" | 9.25" |
| 870269 | 100 lb. | | 62.0" | 10.50" |

MATERIALS

CYLINDER: STEEL

VALVE: SEE K-81-1050 FOR 5/8"

SIPHON TUBE: ALUMINUM

FOR ADDITIONAL DATA,
 SEE K-81-1030 FOR P/N - SEE TABLE

This literature is provided for informational purposes only. KIDDE-FENWAL, INC. assumes no responsibility for the product's suitability for a particular application. The product must be properly applied to perform as described herein.

If you need more information on this product, or if you have a question, contact KIDDE-FENWAL, INC., Ashland, MA 01721. (508) 881-2000.

K-81-1010

11/01

©2001 Kidde-Fenwal, Inc.

Printed in U.S.A.

KIDDE[®]
Fire Systems

KIDDE-FENWAL, INC.
 400 MAIN STREET, ASHLAND, MA 01721
 TEL: (508) 881-2000 FAX: (508) 881-8920